

EXPRESS TERMS

CHAPTER 26 - PLASTIC

2001 CBC	PROPOSED ADOPTION	OSHDP				DSA-SS	Comments
		1	2	3	4		
	Adopt entire chapter without amendments	X	X	X	X	X	
	Adopt entire chapter with amendments listed below						
	Adopt only those sections listed below						

EXPRESS TERMS

SECTION 2601 - GENERAL

2601.1 Scope. These provisions shall govern the materials, design, application, construction and installation of foam plastic, foam plastic insulation, plastic veneer, interior plastic finish and trim and light-transmitting plastics. See Chapter 14 for requirements for exterior wall finish and trim.

...

SECTION 2602 – DEFINITIONS

...

SECTION 2603 - FOAM PLASTIC INSULATION

2603.1 General. The provisions of this section shall govern the requirements and uses of foam plastic insulation in buildings and structures.

...

2603.4 Thermal barrier. Except as provided for in Sections 2603.4.1 and 2603.9, foam plastic shall be separated from the interior of a building by an approved thermal barrier of 0.5-inch (12.7 mm) gypsum wallboard or equivalent thermal barrier material that will limit the average temperature rise of the unexposed surface to not more than 250°F (120°C) after 15 minutes of fire exposure, complying with the standard time-temperature curve of ASTM E 119. The thermal barrier shall be installed in such a manner that it will remain in place for 15 minutes based on FM 4880, UL 1040, NFPA 286 or UL 1715. Combustible concealed spaces shall comply with Section 717.

...

2603.4.1.12 Interior signs. Foam plastic used for interior signs in covered mall buildings in accordance with Section 402.15 shall be permitted without a thermal barrier. Foam plastic signs that are not affixed to interior building surfaces shall comply with Chapter 8 of the *International Fire Code*.

...

Notation [For DSA-SS]:

Authority: Education Code Sections 17310, 81142; Health & Safety Code Section 16022

Reference(s): Education Code Sections 17280 - 17317, and 811130 - 81149; Health & Safety Code Sections 16000 – 16023

Notation [For OSHPD]:

Authority: Health and Safety Code Section 129850

Reference: Health and Safety Code Sections 1275, 129850 and 129790